



[Go to Product page](#)

Datasheet for ABIN3092159
DIAPH3 Protein (AA 1-1193) (Strep Tag)

Overview

Quantity:	1 mg
Target:	DIAPH3
Protein Characteristics:	AA 1-1193
Origin:	Human
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DIAPH3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MERHQRLHH PAQSAAGTP YPSSASLRGC RESKMPPRRKG PQHPPPPSGP EEPGEKRPKF
HLNIRTLTDD MLDKFASIRI PGSKKERPPL PNLKTAFASS DCSAAPLEMM ENFPKPLSEN
ELLELFKMM EDMNLNEDKK APLREKDFSI KKEMVMQYIN TASKTGSLKR SRQISPQEFI
HELKMGSADE RLVTCLESLR VSLTSNPVSW VESFGHEGLG LLLDILEKLI SGKIQEKVVK
KNQHKVIQCL KALMNTQYGL ERIMSEERSL SLLAKAVDPR HPNMMTDVVK LLSAVCIVGE
ESILEEVLEA LTSAGEEKI DRFFCIVEGL RHNSVQLQVA CMQLINALVT SPDDLDFRLH
IRNEFMRCGL KEILPNLKI KNDGLDIQLK VFDEHKEEDL FELSHRLEDI RAELEAYDV
YNMVWSTVKE TRAEQYFISI LQHLLLRND YFIRQYFKL IDECVSQIVL HRDGMDFDFT
YRKRDLDLT QFVDICIDQA KLEEFEEKAS ELYKKFEKEF TDHQETQAE QKKEAKINEL
QAEQAFKSQ FGALPADCNI PLPPSKEGGT GHSALPPPPP LPSGGGVPPP PPPPPPPPLP
GMRMPFSGPV PPPPPLGFLG GQNSPPLPIL PFGLKPKKEF KPEISMRRLN WLKIRPHEMT
ENCFWIKVNE NKYENVDLLC KLENTFCCQQ KERREEEDIE EKSIKKKIK ELKFLDSKIA

QNLSIFLSSF RVPYEEIRMM ILEVDETRLA ESMIQNLIKH LPDQEQLNSL SQFKSEYSNL
CEPEQFVVVM SNVKRLRPRL SAILFKLQFE EQVNNIKPDI MAVSTACEEI KKSXSFSKLL
ELVLLMGNYM NAGSRNAQTF GFNLSSLCKL KDTKSADQKT TLLHFLVEIC EEKYPDILNF
VDDLEPLDKA SKVSVETLEK NLRQMGRQLQ QLEKELETFP PPEDLHDKFV TKMSRFVISA
KEQYETLSKL HENMEKLYQS IIGYYAIDVK KVSVEDFLTD LNNFRITTFMQ AIKENIKKRE
AEEKEKRVRI AKELAERERL ERQQKKKRL EMKTEGDETG VMDNLLALQ SGAAFRDRRK
RTPMPKDVRQ SLSPMSQRPV LKVCNHENQK VQLTEGSRSH YNINCNSTRT PVAKELNYNL
DTHSTGRIK AAEKKEACNV ESNRKKETEL LGSFSKNESV PEVEALLARL RAL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Product Details

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:

DIAPH3

Alternative Name:

DIAPH3 ([DIAPH3 Products](#))

Background:

Protein diaphanous homolog 3 (Diaphanous-related formin-3) (DRF3) (MDia2),FUNCTION: Actin nucleation and elongation factor required for the assembly of F-actin structures, such as actin cables and stress fibers. Required for cytokinesis, stress fiber formation and transcriptional activation of the serum response factor. Binds to GTP-bound form of Rho and to profilin: acts in a Rho-dependent manner to recruit profilin to the membrane, where it promotes actin polymerization. DFR proteins couple Rho and Src tyrosine kinase during signaling and the regulation of actin dynamics. Also acts as an actin nucleation and elongation factor in the nucleus by promoting nuclear actin polymerization inside the nucleus to drive serum-dependent SRF-MRTFA activity. {ECO:0000250|UniProtKB:Q9Z207}.

Molecular Weight:

136.9 kDa

UniProt:

[Q9NSV4](#)

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies

Application Details

as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)