



Datasheet for ABIN3093674

MAVS Protein (AA 1-513) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	MAVS
Protein Characteristics:	AA 1-513
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAVS protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence: MPFAEDKTYK YICRNFSNFC NVDVVEILPY LPCLTARDQD RLRATCTL SG NRDTLWHL FN TLQRRPGWVE YFIAALRGCE LVDLADEVAS VYQSYQPR TS DRPPDPLEPP SLP AERPGP PP TPAAAHSIP Y NSCREKEPSY PMPVQETQAP ESPGENSEQA LQTLSPRAIP RNPDGGP LES SSDLAALSPL TSSGHQE QDT ELGSTHTAGA TSSLTPSRGP VSPSVSFQPL ARSTPRASRL PGPTGSVVST GTSFSSSSPG LASAGAAEGK QGAESDQAEP IICSSGAEAP ANSLPSKVPT TLMPVNTVAL KVPANPASVS TVPSKLPTSS KPPGAVPSNA LTNPAPS KLP INSTRAGMVP SKVPTSMVLT KVSASTVPTD GSSRNEETPA APTPAGATGG SSAWLDSSE NRGLGSELSK PGVLASQVDS PFSGCFEDLA ISASTSLGMG PCHGPEENY KSEGTFGIHV AENPSIQ LLE GNPGPPADPD GGPRPQADR K FQEREVPC H PSP

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Product Details

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human MAVS Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom-made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPasy's protParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	MAVS
Alternative Name:	MAVS (MAVS Products)
Background:	<p>Required for innate immune defense against viruses. Acts downstream of DDX58/RIG-I and IFIH1/MDA5, which detect intracellular dsRNA produced during viral replication, to coordinate pathways leading to the activation of NF-kappa-B, IRF3 and IRF7, and to the subsequent induction of antiviral cytokines such as IFN-beta and RANTES (CCL5). Peroxisomal and mitochondrial MAVS act sequentially to create an antiviral cellular state. Upon viral infection, peroxisomal MAVS induces the rapid interferon-independent expression of defense factors that provide short-term protection, whereas mitochondrial MAVS activates an interferon-dependent signaling pathway with delayed kinetics, which amplifies and stabilizes the antiviral response.</p> <p>May activate the same pathways following detection of extracellular dsRNA by TLR3. May protect cells from apoptosis. {ECO:0000269 PubMed:16125763, ECO:0000269 PubMed:16127453, ECO:0000269 PubMed:16153868, ECO:0000269 PubMed:16177806, ECO:0000269 PubMed:19631370, ECO:0000269 PubMed:20451243}.</p>
Molecular Weight:	54.5 kDa Including tag.
UniProt:	Q7Z434
Pathways:	Activation of Innate immune Response , Inositol Metabolic Process , Hepatitis C

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images




Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process