

Datasheet for ABIN3132971

RPSA/Laminin Receptor Protein (AA 2-295) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	RPSA/Laminin Receptor (RPSA)
Protein Characteristics:	AA 2-295
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RPSA/Laminin Receptor protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence: SGALDVLQMK EEDVLKFLAA GTHLGGTNLD FQMEQYIYKR KSDGIYIINL KRTWEKLLLA
ARAIVAIENP ADVSVISSRN TGQRAVLKFA AATGATPIAG RFTP GTFTNQ IQAAFREPRL
LVVTDPRADH QPLTEASYVN LPTIALCNTD SPLRYVDIAI PCNNKGAHSV GLMWWMLARE
VLRMRGTISR EHPWEVMPDL YFYRDPEEIE KEEQAAA EKA VTKEEFQGEW TAPAPEFTAA
QPEVADWSEG VQVPSVPIQQ FPTEDWSAQP ATEDWSAAPT AQATEWVGAT TEWS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
 - Mouse Rpsa Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
 - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our

Product Details

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in bacterial culture: <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade

Target Details

Target:	RPSA/Laminin Receptor (RPSA)
Alternative Name:	Rpsa (RPSA Products)
Background:	Required for the assembly and/or stability of the 40S ribosomal subunit. Required for the processing of the 20S rRNA-precursor to mature 18S rRNA in a late step of the maturation of

Target Details

40S ribosomal subunits. Also functions as a cell surface receptor for laminin. Plays a role in cell adhesion to the basement membrane and in the consequent activation of signaling transduction pathways. May play a role in cell fate determination and tissue morphogenesis. Also acts as a receptor for several other ligands, including the pathogenic prion protein, viruses, and bacteria. Acts as a PPP1R16B-dependent substrate of PPP1CA (By similarity). Enables malignant tumor cells to penetrate laminin tissue and vessel barriers. Activates precursor thymic anti-OFA/iLRP specific cytotoxic T-cell. May induce CD8 T-suppressor cells secreting IL-10. {ECO:0000255|HAMAP-Rule:MF_03016, ECO:0000269|PubMed:10697612, ECO:0000269|PubMed:1374897, ECO:0000269|PubMed:16453457, ECO:0000269|PubMed:6301485, ECO:0000269|PubMed:6302102}.

Molecular Weight: 33.7 kDa Including tag.

UniProt: [P14206](#)

Pathways: [Ribonucleoprotein Complex Subunit Organization](#), [Ribosome Assembly](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process