Datasheet for ABIN6742310

anti-MAP4K6 antibody (AA 755-804)

1 Image

Go to Product page

Overview

Quantity:	100 µL
Target:	MAP4K6 (MINK1)
Binding Specificity:	AA 755-804
Reactivity:	Human, Mouse, Rat, Cow, Pig, Horse, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAP4K6 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa755-804 of human MINK1 (Q5U8Z0, NP_001020108). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Bat, Horse, Pig (100%), Panda, Guinea pig (92%), Elephant, Bovine (84%). Type of Immunogen: Synthetic peptide
Specificity:	Human MINK1 / MAP4K6
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Horse (100%) Guinea pig (92%) Bovine (84%).
Purification:	Immunoaffinity purified

Target Details

Target:	MAP4K6 (MINK1)
Alternative Name:	MINK1 / MINK (MINK1 Products)
Background:	Name/Gene ID: MINK1 Subfamily: MSN Family: Protein Kinase Synonyms: MINK1, HMINKbeta, GCK family kinase MiNK, MAP4K6, Misshapen/NIK-related kinase, MinK, Mink 1, Misshapen/NIKs-related kinase, HMINK, MEKKK 6, Mink 2, B55, ZC3, MEK kinase kinase 6, Misshapen-like kinase 1, YSK2
Gene ID:	50488
NCBI Accession:	NP_001020108
UniProt:	Q8N4C8
Pathways:	Synaptic Membrane

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Handling

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.

 Copyright antibodies-online. All rights reserved.